



**DISTRIBUTED BY CANBUILT MFG.**

# CleanBlast™ Series SANDBLAST CABINETS



## CleanBlast™ Series

Introducing Kresco's CleanBlast™ Series sandblast cabinets. A compact and low-budget line of sandblast cabinets designed for light-industrial and automotive after-markets applications.

# Overview of the CleanBlast™ Series Sandblast Cabinets

Compact in size and designed for various blast cleaning and light-industrial applications. Available in different sizes for parts up to 3 feet x 3 feet.

Built to last! Made of heavy-duty welded steel construction with rugged components and easily replaceable wear parts.





## SPECIFICATIONS

	Standard	Optional
<b>Delivery System</b>	<b>Suction</b>	
<b>Media Capacity</b>	1.5 cu.ft.	
<b>Metal Thickness</b>	12 gauge	On Request
<b>Floor capacity</b>	500 lb	1,000 to 5,000 lb
<b>Gloves</b>	Rubber	Leather
<b>Nozzle ID</b>	5/16"	1/4", 3/8", 7/16"
<b>Blast Gun</b>	Foot Control	No-Contact Pedal
<b>Air Blow Gun</b>	No	Yes
<b>Regulation Flow</b>	Yes	

# Efficient Media Recovery System

To optimize your process and reduce your overall cost

Our sandblast cabinets are delivered with a tunable cyclonic media separator that uses the centrifugal force to separate dust and fine particles (paint chip, rust, scattered media, etc.) from abrasive media still in perfect working condition to be reused again.

Our unique design can process angular and spherical abrasive media of various materials, granulometries, and bulk densities. Its stand-alone support can accommodate different floor layouts and arrangements.

## Cyclonic Separator



- 1 Dust, dirt and debris drawn out by the dust collector
- 2 Contaminated media mix from the sandblast cabinet
- 3 Adjustable air-inlet to Accommodate various types of media
- 4 Large debris dust-drawer
- 5 Abrasive media in good condition returned to the sandblast cabinet

## Media Recovery System Specifications

	RSB10
Body Diameter	10"
Air Flow (CFM)	400 CFM
Overall Dimensions (L x W x H)	22" x 22" x 74"
Inlet ID	4"
Outlet ID	4"
Storage Hopper	1.5 cu. ft.

# Powerful Cartridge Dust Collector

For a dust-free operation and environment

All our CleanBlast™ sandblast cabinets are delivered with a powerful, compact, and self-cleaning cartridge-type dust collector.

The cyclonic separator is mounted on the dust collector for optimal performance and smaller footprint.



## Dust Collector Overview

	CDC400
<b>Motor (HP)</b>	3/4 HP
<b>Fan (CFM)</b>	400 CFM
<b>Filter Cartridges</b>	1
<b>Filter Capacity</b>	318 sq.ft.
<b>Overall Dimensions (L x W x H)</b>	30" x 23" x 75"
<b>Shipping Height*</b>	80"
<b>Fan Muffler (db)</b>	Under 80


# Ergonomic Features

For long hours of blasting operation without fatigue and decrease in productivity

Kresco offers a variety of pre-engineered ergonomic features to increase the productivity of your operators, while reducing the stress caused by long hours of hard labor.

- Foot-Control Sandblast Gun\*
- Two Product Loading Doors
- No-Contact Foot Pedal
- Work Turntable (500-lb Capacity)
- Exterior Rail and Cart
- Grounding Kit

*\* Standard on all sandblast cabinets*



# Additional Options

To protect the integrity of your equipment and the health of your operators

## Rubber Lining Protection

Extend the life span of your equipment thanks to heavy duty 1/8 rubber sheet liner protection.

**Available on:**

- Sandblast cabinet walls
- Cyclonic separator
- Work turntable



## Door Safety Switch

Protect your workers and environments from potentially hazardous dust.

### Door Safety Switch

Interrupts the sandblasting operations when a door is open.



### Door Safety Lock

Lock doors for a certain time when the sandblasting operations stop.



# Code-Compliant

in Canada and in the United States


Our sandblast cabinets and pre-engineered features are approved and compliant to the code for industrial and commercial usages in Canada and the United States.



# Available in Various Sizes

## Working Dimensions

Our sandblast cabinets come in four (4) pre-engineered dimensions.



CAB. MODEL	K-CB2836S	K-CB3636S	K-CB3648S	K-CB4848S
Interior Dimension (L x W x H)	28" x 36" x 35"	36" x 36" x 35"	36" x 48" x 35"	48" x 48" x 35"
Door Opening (DW x DH)	16" x 34-5/8"	24" x 34-5/8"	24" x 34-5/8"	36" x 34-5/8"
Overall Dimension (L x W x H)	28½" x 40¼" x 75"	36½" x 40¼" x 75"	36½" x 52¼" x 75"	48½" x 52¼" x 75"

All available models come with the cyclonic media reclaimer (RSB10) and the cartridge style dust collector (CDC400) . Larger capacity reclaimers and dust collectors are available. Please give us a call at (416) 749-6555 direct or our toll-free Canada -only 1(888) 607-2926 for additional information.

# Built to Last

Thanks to its heavy-duty construction and modular system design

Standard models are fabricated with 12-gauge bolted and welded metal panels (other gauges available upon request) and they are delivered with robust components that are made to last for decades.

Our cleverly designed modular system allows you to easily implement new features and components as your business grows and your ergonomic or process requirements become more sophisticated.

Kresco's sandblast cabinets and dust collectors are backed by the industry's longest two-year industrial warranty.

