



CANBUILT MFG.


Toll-Free in Canada: 1-888-607-2926 Phone: 416-749-6555 Fax: 416-749-7597
Email: sales@canbuilt.com Website: www.canbuilt.com

103 Milvan Drive,
Toronto, Ontario,
Canada, M9L 1Z7

M&B 5 SERIES TIRE CHANGERS TILT BACK TYPE

Model#
TC-0528-2S
Shown with Technoarm
& Helper Group
Model # TC-0520TA

Rim pressing tool always centered regardless of rim size, makes clamping **FASTER AND EASIER**



Tilt back Tower for easy handling of larger tires

SIMPLIFIED & ERGONOMIC arm design, for **FASTER** operation




Bead pressing tool Slides in and out for **SIMPLER** mounting/de-mounting



POWER INVERTER with double variable speed (10 to 17 RPM) with pedal control. Provides constant torque from beginning to end. **MORE SPEED, POWER and CONTROL**





QUALITY • PERFORMANCE • LONGEVITY



The special shape and toughness of the bead breaking arm ensure the rapid bead breaking. Opening range plate is easily adjustable to be fitted to all types of wheels (max. width 16").

Efficient tubeless inflation through extra air circuit with direct passage to the jaws outlets, allowing the beading in any type of tire



Turntable with mobile clamps to fit wider rims. Only on the TC-528it and TC-528-2S Models

Optional



- Mounts to:**
- TC-0525-2S
 - TC-0528-2S

Model#
TC-0550TH
 Tecnohelp & Helper Group

Made to simplify and facilitate the operator during the demounting and mounting procedure. Its great ergonomic design and ease of use make it an unbeatable device.

SPECIFICATIONS	MODEL # TC-0525-2S	MODEL # TC-0528-2S
Operating pressure	115 - 175 PSI	115 - 175 PSI
Bead breaker force	2500 kg	2500 kg
Max wheel diameter	46" (1160 mm.)	46" (1160 mm.)
Wheel width	3" - 16"	3" - 16"
Rim dia. (locked internally)	12" - 22"	10" - 28"
Rim dia. (locked externally)	14" - 25"	12" - 31"
Motor Speed	10-17 RPM	10-17 RPM
Motor	110v 1PH	110v 1PH

Accessories



SET OF 2 EA # **MB199130**

NYLON DUCKBILL PROTECTORS FOR ALUMINUM RIMS

Universal fit, for most standard tire machines. Nylon protectors snap onto Duckbill to protect aluminum rims from accidental damage. **Sold as a kit: includes 2 Duckbill protectors and 2 Duckbill heel protectors**



Model # **MB200215**

BEAD BREAKER PROTECTOR FOR ALUMINUM RIMS

Nylon protector covers hydraulic bead breaker and remains in place to protect aluminum rims from accidental damage while breaking the bead



Model # **MB200589**

WHEEL CLAMP SLIDE GUARD KIT

Nylon protectors snap onto rimclamp sliders and remain in place to protect aluminum rims from accidental damage **Sold as a kit: includes 4 slider protectors**



Model # **MB201359**

DEMOUNT LEVER PLASTIC PROTECTOR

Nylon protector covers Demount lever to protect aluminum rims from accidental damage while mounting or demounting the tire



Model # **MB201370**

PLASTIC MOUNTING/DEMOUNTING TOOL



Model # **MB200242**

PLASTIC JAW INSERT FOR WEDGE CUP

Nylon protectors snap onto wheel clamp wedge to protect aluminum rims from damage



Model # **MB200604**

MOTORCYCLE ADAPTER, SET OF 4



Model # **MB200606**

SCOOTER ADAPTER, SET OF 4

Adapters to change tires on scooters, golf carts and small diameter tires